

AUTHOR INDEX

- ACHIWA, K., 314
AQEEL, A., 253
ARGAY, G., 13, 19

BALZA, F., 171
BANASZEK, A., 13, 19
BAX, A., 35, 47
BEIGELMAN, L. N., 219
BELTON, P. S., 162
BELTRAME, P. L., 71
BRENNAN, P. J., 299
BUSH, C. A., 133
BYRD, R. A., 47

CALHOUN, L. A., 113
CARNITI, P., 71
CEREZO, A. S., 317
CHÚJO, R., 145
CLAESSON, A., 233

DESCOTES, G., 195
DUDDECK, H., 101

EGAN, W., 47
ERMOLINSKY, B. S., 219

FENNESEY, P. V., 133
FOCHER, B., 71
FURNER, R. L., 123
FURÓ, I., 27

GLUZIŃSKY, P., 13, 19
GOWDA, D. C., 263
GURSKAYA, G. V., 219

HASHIMOTO, H., 253
HEYRAUD, A., 71
HUNTER, S. W., 299

INOUE, Y., 156

JANSSON, A. M., 233
JANSSON, P.-E., 271
JAROSZ, S., 211

KALICHEVSKY, M. T., 162
KÁLMÁN, A., 13, 19
KARPEISKY, M. YA., 219
KENNE, L., 271
KING, R. R., 113
KOBAYASHI, S., 156
KOVÁCS, J., 101
KRAJEWSKI, J. W., 13, 19

LAFONT, D., 195
LERNER, L., 35
LI, S.-C., 133
LI, Y.-T., 133
LIFFMAA, E., 27
LUTHMAN, K., 233

MA, W.-P., 283
MAEDA, K., 145
MARTIN, A., 59
MARZETTI, A., 71
MCGHEE, J. R., 123
MCINTIRE, F. C., 133
MCNEIL, M., 133, 299
MESSMER, A., 101
MICHALEK, S. M., 123
MIKHAILOV, S. N., 219
MONNERET, C., 59

NOBLE, O., 1

OHMIYA, K., 145

PAIS, M., 59
PICO ET D. ANKER, D., 309
PINTÉR, I., 101
PÓCSIK, I., 27
PRING, B. G., 233
PRITCHARD, D. G., 123

RINAUDO, M., 71
RING, S. G., 162
ROBYT, J. F., 283

SANTORO, C., 71
SARATHY, C., 263
SASAKI, K., 171
SATHYANARAYANA, B. K., 181
SATO, K.-I., 253
SERIANNI, A. S., 85
SHIMIZU, C., 314
SHIMIZU, S., 145
SINGH, R. B., 253
SINGH, R. P., 113
SNYDER, J. R., 85
SOMOGYI, L., 166
STEVENS, E. S., 181
STORTZ, C. A., 317
SUMMERS, M. F., 47

TARAVAL, F. R., 1
TAYLOR, I. E. P., 171
TEEÄÄR, R., 27

TJOA, S. S., 133
TOMPA, K., 27
TÓTH, G., 101
TSAPKINA, E. N., 219

WALLNER, S. J., 299
WEHLER, T., 271
WILSON, R. H., 162
WU, S.-S., 133

YAMAMOTO, Y., 156
YOSHIMURA, J., 253

SUBJECT INDEX

- 3-*O*-(2,3-Anhydro-4-deoxy- α -L-hexopyranosyl)-1,2:5,6-di-*O*-isopropylidene- α -D-glucofuranose, crystal structure and conformation of, 19
- Anthracycline, glycoside analogues, synthesis of, 59
- Antigen of *Streptococcus mutans* serotype f, structure of the polysaccharide, 123
- DL-Apiose substituted with stable isotopes: synthesis, n.m.r.-spectral analysis and furanose anomerization, 85
- Application of new, high-sensitivity, ^1H - ^{13}C -n.m.r.-spectral techniques to the study of oligosaccharides, 35
- L-Arabino-D-xylan from the bark of *Cinnamomum zeylanicum*, the structure of an, 263
- Arabinogalactan, of *Mycobacterium leprae* and *Mycobacterium tuberculosis* cell wall, demonstration of the furanoid form of the galactosyl and arabinosyl residues in, 299
- Azides, 2-deoxy-2-iodoglycosyl, synthesis of, 195
- Borate interaction with guar, study by n.m.r. spectroscopy of, 1
- Capsular polysaccharide, of *Haemophilus influenzae* type a, structural study of, 47
- Carrageenans, specific fragmentation of, 317
- Cinnamomum zeylanicum*, the structure of an L-arabino-D-xylan from the bark of, 263
- Conformational and X-ray investigations of methyl 2,6-di-*O*-acetyl-3,4-anhydro- α -DL-(6,6- $^2\text{H}_2$)galactopyranoside, 13
- C.p.-d.d.-m.a.s. ^{13}C -n.m.r. investigations of anhydrous and hydrated cyclomalto-oligosaccharides: the role of water of hydration, 27
- Crystal structure and conformation of 3-*O*-(2,3-anhydro-4-deoxy- α -L-lyxo-hexopyranosyl)-1,2:5,6-di-*O*-isopropylidene- α -D-glucofuranose, 19
- Cyclic monothioacetals of aldoses: synthesis and desulphuration of 2-polyacetoxyalkyl-1,3-oxathiolan-5-ones and -3,1-benzoxathian-4-ones, 166
- Cyclic urea derivatives of sugars via phosphinimines, a new route to, 101
- Cyclomalto-oligosaccharides, c.p.-d.d.-m.a.s. ^{13}C -n.m.r. investigations of anhydrous and hydrated, 27
- Demonstration that the galactosyl and arabinosyl residues in the cell-wall arabinogalactan of *Mycobacterium leprae* and *Mycobacterium tuberculosis* are furanoid, 299
- 2-Deoxy-2-iodoglycosyl phosphoramidates, synthesis of, 195
- 3-Deoxy-D-manno-octulosonic acid (KDO), synthesis of analogues of, as potential inhibitors of CMP-KDO synthetase, 233
- α -(2 \rightarrow 9)-Disialic acid, synthesis of, 314
- Endo-(1 \rightarrow 4)- β -D-glucanase, from *Ruminococcus albus*, purification and properties of, 145
- Enzymic hydrolysis of malto-oligosaccharides, a comparison of the kinetics of acid and, 71
- Exchange reactions, $\text{C}^1\text{H}-\text{C}^2\text{H}$, with Raney nickel in deuterium oxide, 171
- Fluoropyranosides, deoxy-synthesis with the triethylamine-3 hydrogen fluoride complex of, 309
- Gelation and retrogradation of waxy-maize starch, a Fourier-transform infrared study of the, 162
- 6-*O*- α -D-Glucopyranosylcyclomaltohexaose, ^1H and ^{13}C resonance assignments and primary structure determination of, using 2D-n.m.r. spectra, 156
- Glycoside analogues, L-arabino and L-lyxo, synthesis of, 59
- Guar-borate interaction, study by n.m.r. spectroscopy of, 1
- Hexasaccharide, structure of a new, from the coaggregation polysaccharide of *Streptococcus sanguis* 34, 133
- Higher-carbon sugars, synthesis of, via vinyltin derivatives of simple monosaccharides, 211
- Infrared study of the gelation and retrogradation of waxy-maize starch, a Fourier-transform, 162
- Inhibitors of CMP-KDO synthetase, synthesis of analogues of 3-deoxy-D-manno-octulosonic acid (KDO) as potential, 233
- Inositol epimers, six per-C-deuterated, preparative-scale separation by anion-exchange chromatography, 171
- Kansosamine, N-acyl-, 253
- Kinetics of enzymic hydrolysis of malto-oligosaccharides: a comparison with acid hydrolysis, 71
- Malto-oligosaccharides, a comparison of the kinetics of enzymic and acid hydrolysis of, 71
- Methyl 2,6-di-*O*-acetyl-3,4-anhydro- α -DL-(6,6- $^2\text{H}_2$)galactopyranoside, conformational and X-ray investigations of, 13
- 2'-C-Methylnucleosides, new syntheses of, starting from D-glucose and D-ribose, 219

- New n.m.r.-spectroscopic approaches for structural studies of polysaccharides: Application to the *Haemophilus influenzae* type a capsular polysaccharide, 47
- New route to cyclic urea derivatives of sugars via phosphinimines, 101
- New syntheses of 2'-C-methylnucleosides starting from D-glucose and D-ribose, 219
- N.m.r. investigations of anhydrous and hydrated cyclomalto-oligosaccharides, c.p.-d.d.-m.a.s. ^{13}C , 27
- 2D-N.m.r. spectra of 6-O- α -D-glucopyranosyl-cyclomaltohexaose; ^1H and ^{13}C resonance assignments and primary structure determination, 156
- N.m.r. study of some *Shigella flexneri* O-polysaccharides, a 2D- ^1H -, 271
- Nuclear-magnetic-resonance, spectroscopy study of guar-borate interactions, 1
- Oligosaccharides, application of new, high-sensitivity, ^1H - ^{13}C -n.m.r.-spectral techniques to the study of, 35
- Phosphinimines, a new route to cyclic urea derivatives of sugars via, 101
- Phosphoramides, 2-deoxy-2-iodoglycosyl, synthesis of, 195
- 2-Polyacetoxyalkyl-1,3-oxathiolan-5-ones and -3,1-benzoxathian-4-ones, synthesis and desulphuration of, 166
- Polysaccharide, the coaggregation, of *Streptococcus sanguis* 34, structure of a new hexasaccharide from, 133
- Polysaccharides, a 2D- ^1H -n.m.r. study of some *Shigella flexneri* O-, 271
- Polysaccharides, new n.m.r.-spectroscopic approaches for structural studies of, 47
- Preparation and characterization of soluble starches having different molecular sizes and composition by acid hydrolysis in different alcohols, 283
- Preparative-scale separation by anion-exchange chromatography of six per-C-deuterated inositol epimers produced during C- ^1H -C- ^2H exchange reactions with Raney nickel in deuterium oxide, 171
- Purification and properties of endo-(1 \rightarrow 4)- β -D-glucanase from *Ruminococcus albus*, 145
- Resonance assignments and primary structure determination of 6-O- α -D-glucopyranosyl-cyclomaltohexaose, use of 2D-n.m.r. spectra for ^1H and ^{13}C , 156
- Saccharides, the optical activity of, a semiempirical theory of, 181
- Semiempirical theory of the optical activity of saccharides, 181
- Shigella flexneri* O-polysaccharides, a 2D- ^1H -n.m.r. study of some, 271
- L-Sibirosaminide, methyl, 253
- Solanum berthaultii* Hawkes (PI 265 857), type B glandular trichomes, isolation of 3,3',4,6-tetra-O-acylated sucrose esters from, 113
- Specific fragmentation of carrageenans, 317
- Starches, soluble, having different molecular sizes and composition, preparation of, by acid hydrolysis in different alcohols, 283
- Streptococcal polysaccharide, group A-variant, immunological identity between Smith-degraded *S. mutans* polysaccharide and, 123
- Streptococcus mutans* serotype f, structure of the polysaccharide, 123
- Structure of a new hexasaccharide from the coaggregation polysaccharide of *Streptococcus sanguis* 34, 133
- Structure of an L-arabino-D-xylan from the bark of *Cinnamomum zeylanicum*, 263
- Sucrose, 3,3',4,6-tetra-O-acylated, isolation from type B glandular trichomes of *Solanum berthaultii* Hawkes (PI 265 857) of, 113
- Sugars, amino, novel branched-chain, synthesis of, 253
- Syntheses of 2'-C-methylnucleosides starting from D-glucose and D-ribose, new, 219
- Synthesis and desulphuration of 2-polyacetoxyalkyl-1,3-oxathiolan-5-ones and -3,1-benzoxathian-4-ones, 166
- Synthesis, n.m.r.-spectral analysis, and furanose anomerization of DL-apiose substituted with stable isotopes, 85
- Synthesis of analogues of 3-deoxy-D-manno-octulosonic acid (KDO) as potential inhibitors of CMP-KDO synthetase, 233
- Synthesis of L-arabino and L-xylo anthracycline glycoside analogues, 59
- Synthesis of α -(2 \rightarrow 9) disialic acid, 314
- Synthesis of higher-carbon sugars via vinyltin derivatives of simple monosaccharides, 211
- Synthesis of novel, branched-chain amino sugars: methyl L-sibirosaminide and N-acylsakosamine, 253
- 3,3',4,6-Tetra-O-acylsucrose, isolation from type B glandular trichomes of *Solanum berthaultii* of, 113
- Triethylamine-3 hydrogen fluoride, synthesis of deoxyfluoropyranosides and desilylation with silyl groups, scission with the triethylamine-3 hydrogen fluoride complex of, 309
- Vinyltin derivatives of simple monosaccharides, synthesis of higher-carbon sugars via, 211
- Waxy-maize starch, a Fourier-transform infrared study of the gelation and retrogradation of, 162
- X-Ray and conformational investigations of methyl 2,6-di-O-acetyl-3,4-anhydro- α -DL-(6,6- $^2\text{H}_2$)galactopyranoside, 13

